## **Sun City Lincoln Hill ARC Application Checklist**

## **Pools & Spas**

## **Checklist 25**

This includes in ground pool/spa combinations and above ground spas, in rear yards only.

Above ground pools are prohibited.

A site visit by the ARC is required prior to submitting an application.

This Checklist is for GUIDANCE ONLY, please refer to the CC&Rs and the Design Guidelines for all other specific requirements relating to your project

requirements relating to your project.			
OWNER CHECKBOXES (Must be filled in or noted N/A)  ARC CHECKBOXES			
	Brief Project Description		
	Required Documents		
	<ul> <li>Drawing showing the location and size of the pool, spa, and all related equipment, including height.</li> </ul>		
	• Drawing showing the size, height, detail and color of the equipment screen or landscape screening.		
	<ul> <li>Photograph of the adjacent property directly across from the equipment location.</li> </ul>		
	Pools/Spas, above ground spas and other related equipment will be installed in accordance with City of Lincoln Municipal Code and SCLHCA Design Guidelines, with a minimum five-foot (5'-0") setback from all property lines to the edge of the water and ten-foot (10') minimum distance from rear edge of house.		
П	Fencing will comply with the minimum height and detail requirements for pool fence enclosures. Refer to		
	Checklist 09 for the fence style at golf course and open space rear yards.		
	All equipment visible from the street or neighboring property will be screened by a structure no higher than six inches (6") above the equipment, or by plant material of adequate density to accomplish the same result,		
	when planted. In no event will the equipment or screening height exceed five feet (5'-0").		
	The screen design conforms to the design of the home, in style, detailing, materials and color. If a stucco finish is used the paint color will match the home's main body color.		
	The timeline for completion of work is within 180 calendar days from the start of work and must be completed before the one-year approved application period expires.		
	City of Lincoln Building Permit may be required.		

Revision 7, May 2021 1 of 2 Checklist 25

## This checklist must be completed and signed by the Owner along with the Architecural Review Committee, (ARC) Application Form

Homeowner Use	
Planned Completion Date:	
Name:	
Address:	
Signature:	
ARC Use Only	
APPROVED	
INCOMPLETE	
DISAPPROVED	
Date:	